

## Environmental Protection Agency

§ 180.578

cyano-2-fluorophenoxy)-phenoxy)propionate], cyhalofop acid [R-( + )-2-(4(4-cyano-2-fluorophenoxy)-phenoxy)propionic acid], and the diacid metabolite [(2R)-4-(4-(1-carboxyethoxy)phenoxy)-3-fluorobenzoic acid].

| Commodity              | Parts per million |
|------------------------|-------------------|
| Rice, grain .....      | 0.40              |
| Wild rice, grain ..... | 0.40              |

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[67 FR 43256, June 27, 2002, as amended at 74 FR 15880, Apr. 8, 2009; 76 FR 82157, Dec. 30, 2011]

### § 180.577 Bispyribac-sodium; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide bispyribac-sodium, including its metabolites and degradates, in or on the commodity listed below. Compliance with the tolerance level specified below is to be determined by measuring only bispyribac-sodium, (2,6-bis[(4,6-dimethoxy-2-pyrimidinyl)oxy]benzoic acid, sodium salt), in or on the following raw agricultural commodities:

| Commodity              | Parts per million |
|------------------------|-------------------|
| Fish, freshwater ..... | 0.01              |
| Rice, grain .....      | 0.02              |

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[66 FR 48097, Sept. 18, 2001, as amended at 76 FR 5716, Feb. 2, 2011; 80 FR 72599, Nov. 20, 2015]

### § 180.578 Acetamiprid; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide acetamiprid (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N'-cyano-N-methylethanimidamide, including its metabolites and degradates, in or on

the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring only acetamiprid in or on the following commodities.

| Commodity  | Parts per million |
|--|-------------------|
| Almond, hulls .....  | 5.0               |
| Asparagus .....  | 0.80              |
| Berry, low growing subgroups 13-07G .....  | 0.60              |
| Brassica, leafy greens, subgroup 4-16B .....   | 15                |
| Bushberry subgroup 13-07B .....  | 1.6               |
| Caneberry subgroup 13-07A .....  | 1.6               |
| Celtuce .....  | 3                 |
| Citrus, dried pulp .....   | 1.20              |
| Corn, sweet, forage .....  | 15                |
| Corn, sweet, kernel plus cob with husks removed .....                                      | 0.01              |
| Corn, sweet, stover .....  | 30                |
| Cotton, gin byproducts .....   | 20.0              |
| Cottonseed subgroup 20C .....  | 0.7               |
| Fennel, florence, fresh leaves and stalk .....   | 3                 |
| Fruit, citrus, group 10-10 .....   | 1.0               |
| Fruit, pome, group 11-10 .....   | 1.0               |
| Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F .....                 | 0.35              |
| Fruit, stone, group 12-12 .....  | 1.5               |
| Grain, aspirated fractions .....   | 5.0               |
| Kohlrabi .....   | 1.2               |
| Leaf petiole vegetable subgroup 22B .....  | 3                 |
| Leafy greens subgroup 4-16A .....  | 3                 |
| Nut, tree, group 14-12 .....   | 0.1               |
| Onion, bulb, subgroup 3-07A .....  | 0.02              |
| Onion, green, subgroup 3-07B .....   | 4.5               |
| Pea and bean, succulent shelled, subgroup 6B ...   | 0.40              |
| Rapeseed subgroup 20A .....  | 0.01              |
| Soybean, hulls .....   | 0.04              |
| Soybean, seed .....  | 0.03              |
| Tea, dried <sup>1</sup> .....  | 50.0              |
| Tomato, paste .....  | 0.40              |
| Tropical and subtropical, medium to large fruit, smooth, inedible peel, subgroup 24B ..... | 0.5               |
| Vegetable, brassica, head and stem, group 5-16 .....                                       | 1.2               |
| Vegetable, cucurbit, group 9 .....   | 0.50              |
| Vegetable, fruiting, group 8-10 .....  | 0.20              |
| Vegetable, legume, edible podded, subgroup 6A .....  | 0.60              |
| Vegetable, tuberous and corm, group 1 .....  | 0.01              |

<sup>1</sup>There are no U.S. registrations as of February 10, 2010, for the use of acetamiprid on dried tea.

(2) Tolerances are established for residues of the insecticide acetamiprid (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N'-cyano-N-methylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring acetamiprid and (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N'-cyano-N-methylethanimidamide in or on the following commodities.

§ 180.579

| Commodity                     | Parts per million |
|-------------------------------|-------------------|
| Cattle, fat .....             | 0.20              |
| Cattle, meat .....            | 0.30              |
| Cattle, meat byproducts ..... | 0.70              |
| Egg .....                     | 0.010             |
| Goat, fat .....               | 0.20              |
| Goat, meat .....              | 0.30              |
| Goat, meat byproducts .....   | 0.70              |
| Hog, fat .....                | 0.10              |
| Hog, meat .....               | 0.10              |
| Hog, meat byproducts .....    | 0.20              |
| Horse, fat .....              | 0.20              |
| Horse, meat .....             | 0.30              |
| Horse, meat byproducts .....  | 0.70              |
| Milk .....                    | 0.30              |
| Poultry, fat .....            | 0.010             |
| Poultry, liver .....          | 0.050             |
| Poultry, meat .....           | 0.010             |
| Sheep, fat .....              | 0.20              |
| Sheep, meat .....             | 0.30              |
| Sheep, meat byproducts .....  | 0.70              |

(3) A tolerances of 0.01 ppm is established for residues of the insecticide acetamiprid, including its metabolites and degradates, in or on all food/feed items (other than those covered by a higher tolerance in paragraph (a)(1) or (a)(2) of this section as a result of the use on growing crops) as a result of the application of acetamiprid in food/feed handling establishments. Compliance with the 0.01 ppm tolerance level is to be determined by measuring only acetamiprid (1*E*)-*N*-[(6-chloro-3-pyridinyl)methyl]-*N'*-cyano-*N*-methylethananimidamide in or on the commodities.

(b) *Section 18 emergency exemptions.* Time-limited tolerances specified in the following table are established for residues of the acetamiprid, (1*E*)-*N*-[(6-chloro-3-pyridinyl)methyl]-*N'*-cyano-*N*-methylethananimidamide, in or on the specified agricultural commodities, resulting from use of the pesticide pursuant to FIFRA section 18 emergency exemptions. Compliance with the tolerance levels specified below is to be determined by measuring only acetamiprid. The tolerances expire on the date specified in the table.

| Commodity                 | Parts per million | Expiration date |
|---------------------------|-------------------|-----------------|
| Sugarcane, cane .....     | 45                | 12/31/19        |
| Sugarcane, molasses ..... | 600               | 12/31/19        |

(c) *Tolerances with regional registrations.* Tolerances with regional registrations are established for residues of the insecticide acetamiprid (1*E*)-*N*-[(6-chloro-3-pyridinyl)methyl]-*N'*-

40 CFR Ch. I (7–1–21 Edition)

cyano-*N*-methylethananimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring only acetamiprid in or on the following commodities.

| Commodity            | Parts per million |
|----------------------|-------------------|
| Clover, forage ..... | 0.30              |
| Clover, hay .....    | 2.0               |

(d) *Indirect or inadvertent residues.* [Reserved]

[67 FR 14659, Mar. 27, 2002, as amended at 68 FR 52352, Sept. 3, 2003; 70 FR 19293, Apr. 13, 2005; 72 FR 67262, Nov. 28, 2007; 73 FR 2811, Jan. 16, 2008; 75 FR 6582, Feb. 10, 2010; 77 FR 18716, Mar. 28, 2012; 77 FR 43529, July 25, 2012; 78 FR 36676, June 19, 2013; 80 FR 68778, Nov. 6, 2015; 82 FR 17151, Apr. 10, 2017; 85 FR 8441, Feb. 14, 2020]

§ 180.579 Fenamidone; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide, fenamidone, including its metabolites and degradates, in or on the following commodities. Compliance with the tolerance levels is to be determined by measuring only fenamidone (4*H*-Imidazol-4-one, 3,5-dihydro-5-methyl-2-(methylthio)-5-phenyl-3 (phenylamino)-, (S)-), in or on the commodities:

| Commodity  | Parts per million |
|--|-------------------|
| Basil, dried leaves .....                                    | 200               |
| Basil, fresh leaves .....                                    | 30                |
| Bean, succulent, except cowpea .....                         | 0.80              |
| Celtuce .....  | 60                |
| Cilantro, fresh leaves .....                                 | 60                |
| Cotton, gin byproducts .....                                 | 0.02              |
| Cottonseed subgroup 20C .....                                | 0.02              |
| Fennel, Florence, fresh leaves and stalk .....               | 60                |
| Ginseng .....  | 0.80              |
| Kohlrabi .....   | 5.0               |
| Leaf petiole vegetable subgroup 22B .....                    | 60                |
| Leafy vegetable group 4–16 .....                             | 60                |
| Okra .....   | 3.5               |
| Onion, bulb, subgroup 3–07A .....                            | 0.20              |
| Onion, green, subgroup 3–07B .....                           | 1.5               |
| Pepper, nonbell .....  | 3.5               |
| Sunflower .....  | 0.02              |
| Tomato, paste .....  | 2.2               |
| Tomato, puree .....  | 2.0               |
| Turnip, greens .....   | 55                |
| Vegetable, <i>Brassica</i> , head and stem, group 5–16 ..... | 5.0               |
| Vegetable, cucurbit, group 9 .....                           | 0.15              |
| Vegetable, fruiting, group 8, except nonbell pepper .....    | 1.0               |